



# CENTRAL GOVERNMENT EMPLOYEES WELFARE HOUSING ORGANISATION

6th Floor, 'A' Wing, Janpath Bhawan, Janpath, New Delhi

Presentation
on
Greater Noida Housing Project





#### **STRENGTHS**

#### Connectivity

- Abutting major roads which then connects to Noida & Delhi

#### Location

- Greater Noida is a rapidly growing suburban in Uttar Pradesh. The site is 1.5 km away from centre of Greater Noida.

#### **Abutting Roads**

-The site is abutting a 45m wide existing road to the south east side and a 24 m wide road (sector road)on the north east side, thus ensuring good connectivity.

#### **Topography**

- The site is essentially flat (almost 5 feet down from road level) with minimum constraints due to variations in site level.

### **LOCATION**

#### Surroundings

Close proximity to;


Pari Chowk 3.5 km

Yamuna express

highway 1.0km

Radisson Hotel 0.5 km

AWHO 0.3 Km





#### **OPPORTUNITIES**

#### **Rapidly Growing Noida**

-There is an acute shortfall of affordable residential development in Delhi and suburbs such as greater Noida are fast expanding to meet this demand. The catchment potential for the residential development is very high.

#### **Abutting Road**

- The abutting 45m wide road allows for high rise structures.
- As per statutory bodies there Is no height restrictions but approval is required from Airport Authority

#### **Low Density**

Prone to better planning

#### SITE LAYOUT PLAN

Phase 1 – 30 Acres

Phase 2 – 08 Acres

PH-1 TYPE-A = 104

TYPE-B = 506

TYPE-C = 830

TYPE-D = 690

POPULATION = 10650

**Architecture and Project management** 





CENTRAL GOVERNMENT EMPLOYEES WELFARE HOUSING ORGANISATION



# DETAIL COMPARISON WITH OTHER PRIVATE BUILDERS PROJECTS

Particulars	CGEWHO, Greater Noida Project	Private builders recently launched project for central / state govt. Employees	
		<b>Greater Noida</b>	Gurgaon
SPECIFICATIONS			
Windows	Aluminium System by Schuco/ Kawneer / Reyners	UPVC	Powder Coated Aluminium
Soil and water supply pipes	Centrifugally Cast Iron	UPVC	UPVC
External Water Supply Pipes	Ductile Pipes	UPVC	UPVC
Reinforcement (Steel)	Fe-500 (Only of TISCO / SAIL / RINL / JINDAL)	Not specified	Not specified
C P fittings	Specified (Hindware, Jaquar, Grohe )	Not specified	Not specified
China ware	Specified (Hindware / Parryware / Cera)	Not specified	Not specified
Landscape	12 Acres open green with Basket Ball, Tennis and Badminton courts	Not specified	Not specified





### **FIRE NOC**

## प्रारूप-छ (संलग्नक-6)

## अग्नि सुरक्षा प्रमाणपत्र (पूर्णता (कम्प्लीशन) अनापत्ति प्रमाणपत्र)

युआईडी संख्या: UPFS/2021/40658/GBN/GAUTAM BUDDH NAGAR/12135/CFO

दिनांक: 01-12-2021

प्रमाणित किया जाता है कि मैसर्स CENTRAL GOVERNMENT EMPLOYEES WELFARE HOUSING ORGANISATION (भवन/प्रतिष्ठान का नाम)पता PLOT NO-07, P-04,BUILDERS AREA,GREATER NOIDA तहसील - SADAR, प्लाट एरिया 153832.00 sq.mt , कुल कवर्ड एरिया 280611.3641 (वर्ग मीटर), ब्लाकों की संख्या - 11 जिसमें

1 10			
ब्लॉक/टावर	प्रत्येक ब्लाक में तलों की संख्या	बेसमेन्ट की संख्या	ऊँचाई
TOWER A 01 TOTAL 01 TOWER	14	1	42.00 mt.
TOWER B 01 TOTAL 01 TOWER	13	1	39.00 mt.
TOWER B 02 TO 05 TOTAL 04 TOWER	14	1	42.00 mt.
TOWER C 01 TO 12 TOTAL 12 TOWER	15	1	45.00 mt.
TOWER C 13 TO 14 TOTAL 02 TOWER	13	1	39.00 mt.
TOWER C 15 TOTAL 01 TOWER	12	1	36.00 mt.
TOWER C 16 TOTAL 01 TOWER	10	1	30.00 mt.
TOWER D 01 TO 06 TOTAL 06 TOWER	15	1	45.00 mt.
SHOPPING	3	1	10.50 mt.
NURSING HOME	3	1	10.50 mt.
SCHOOL	2	0	7.20 mt.

है। भवन का अधिभोग मैसर्स CENTRAL GOVERNMENT EMPLOYEES WELFARE HOUSING ORGANISATION द्वारा किया जा रहा है। इनके द्वारा भवन में अग्नि निवारण एवं अग्नि सुरक्षा व्यवस्थाएं, एन०बी०सी० एवं तत्संबंधी भारतीय मानक ब्यूरों के आई०एस० के अनुसार भवन में स्थापित करायी गयी व्यवस्थाओं का निरीक्षण अग्निशमन अधिकारी द्वारा दिनांक 04-12-2021 को भवन खामी/भवन खामी के प्रतिनिधि श्री JASVEER SINGH के साथ किया गया। भवन में अधिस्थापित अग्नि सुरक्षा व्यवस्थाएं मानकों के अनुसार अधिस्थापित पायी गयी। अतः प्रश्नगत भवन को अग्नि सुरक्षा प्रमाणपत्र (फायर सेफटी सिटिंफिकेट) एन०बी०सी० की अधिभोग श्रेणी Residential के अन्तर्गत वैधता तिथि 16-12-2021 से 15-12-2026 तक 5 वर्षों के लिए इस शर्त के साथ निर्गत किया जा रहा है कि भवन में नियमानुसार स्थापित सभी अग्निशमन व्यवस्थाओं का अनुरक्षण करते हुए क्रियाशील बनाये रखा जायेगा। भवन में स्थापित की गयी अग्निशमन व्यवस्थाओं में पायी गयी कमी के कारण किसी भी घटना के लिए मेसर्स CENTRAL GOVERNMENT EMPLOYEES WELFARE HOUSING ORGANISATION अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें। निर्गत अग्नि सुरक्षा प्रमाणपत्र खतः ही निरस्त मान लिया जायेगा, जिसके लिए मेसर्स CENTRAL GOVERNMENT EMPLOYEES WELFARE HOUSING ORGANISATION अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें।

Note: This NOC is valid for other than Nursing Home.

निर्गत किये जाने का दिनांक : 16-12-2021 स्थान : GAUTAM BUDDH NAGAR

<u>"यह प्रमाण-पत्र आपके द्वारा प्रस्तुत अभिलेखों", सूचनाओं के आधार पर निर्गत किया जा रहा है । इनके असत्य पाए जाने पर निर्गत प्रमाण-पत्र मान्य नहीं होगा । यह प्रमाण-पत्र भूमि / भवन के स्वामित्व / अधिभोग को प्रमाणित नहीं करता है ।"</u>

> हस्ताक्षर (निर्गमन अधिकारी) (मुख्य अग्निशमन अधिकारी)



Digitally Signed By (ARUN KUMAR SINGH)

[2596473DFE58A021AB240D82CB9C3B38B9240D41]

16-12-2021





## COMPLETION LETTER



#### GREATER NOIDA INDUSTRIAL DEVELOPMENT AUTHORITY

PLOT NO1, SECTOR-KNOWLEDGE PARK-IV, GREATER NOIDA CITY, GREATER NOIDA, DISTRICT GAUTAM BUDH NAGAR, (U.P.) Website: www.greaternoidaauthority.in e-Mail: authority@gnida.in

Date 14/10/2022 06:52 PM				
	o:	CC-1615	Date	14/10/2022 06:52 PM

Tο,

CENTRAL GOVERNMENT EMP. WELFARE HOUSING ORG.

CENTRAL GOVERNMENT EMPLOYEES WELFARE HOUSING ORGANISATION. 6th Floor 'A', Wing, Janpath Bhawan, Janpath, New Delhi-110001

#### Sir / Madam

With reference to your application No-CC-1615 dated-29.12.2021 for grant of Occupancy Certificate for Group Housing erected on Plot No-07, Sector-P-04, Builder's Area, Greater Noida, completed under the supervision of Technical Person Name Mr. Rahul Tyagi Architect ID: GN00407 and COA no -CA/1997/22027 and building has been inspected by the Committee / Assistant Manager of the Planning Department and found that the building conform in all respects to the requirements of the regulations in respect of occupancy certificate. Structural safety based upon the structural stability certificate and the completion certificate submitted by the concerned Technical Personnel. Hence, I have to inform you that Occupancy Certificate is being granted by the Authority For Tower-A01 (Units=104), Tower-B01 ( Units=90), Tower-B02 (Units=104), Tower-B03 (Units=104), Tower-B04 (Units=104), Tower-B05 ( Units=104), Tower-C01 (Units=56), Tower-C02 (Units=56), Tower-C03 (Units=56), Tower-C04 ( Units=56), Tower-C05 (Units=56), Tower-C06 (Units=56), Tower-C07 (Units=56), Tower-C08 ( Units=56 ), Tower-C09 (Units=56 ), Tower-C10 (Units=56 ), Tower-C11 (Units=56 ), Tower-C12 ( Units=56), Tower-C14 (Units=36), Tower-C15 (Units=44), Tower-C16 (Units=48), Tower-C17 ( Units=48), Tower-D01 (Units=56), Tower-D02 (Units=56), Tower-D03 (Units=56), Tower-D04 ( Units=56), Tower-D05 (Units=56), Shopping Centre (Total=48 shops), Nursing Home, Nursery School , Community Centre, Religious Building & E.S.S. having total FAR=238348 sqm. with the following conditions:-

- 1. Before making any changes in the existing building prior permission from the Authority is required.
- If demanded by the Authority you will be liable to pay charges for the provision of any further facilities/development/improvement.
- A copy of the drawings shall always be kept at site and shall be made available to any officer of the Authority on demand.
- 4. You are required to follow the terms and conditions as indicated in lease deed and various NOC issued by different organisations.
- 5. Gate/s shall open on to the service road only, direct access to main carriage-way shall not be
- No parking will be done on road and parking shall be used only for purpose of users as designated in the plan.
- 7. You are required to maintain green outside the plot.
- 8. The promoter/applicant shall keep the fire net at site as per fire norms.
- 9. The promoter/ applicant shall keep the provision of solid waste management at site as per norms.

Yours faithfully, Theer Digitally signed by Sudner Kamar


Incharge GM(Planning)

Encl :- Copy of one Set drawings (01)

Copy to :- Admin. (Project) for information and N.A.




## **COMPLETION DRAWINGS**





## **COMPLETION DRAWINGS**







## **FLOOR PLANS**





## PRIMARY SCHOOL (G+1)

### **GROUND FLOOR**

AREA - 510.72 SqMt.

- 5498 SqFt.









## PRIMARY SCHOOL (G+1)


FIRST FLOOR

AREA - 510.72 SqMt.

- 5498 SqFt.

TOTAL AREA - 1089.917 SqMt. - 11733 SqFt.









## PRIMARY SCHOOL (G+1)


**TERRACE FLOOR** 

AREA - 510.72 SqMt.

- 5498 SqFt.

TOTAL AREA - 1089.917 SqMt. - 11733 SqFt.
















**VIEW** 





## **TOILET**





## **TOILET**





NOT	ES	
S.NO.	FITTINGS	HEIGHT
1	E.W.C. WITH FLUSHING CISTERN - CAT NO 20061	AS/DTL.
2	WASH BASIN - CAT NO 10049	900 MM
3	COUNTER TOP FINISHED WITH STONE	900 MM
4	MAIN DOOR (HEIGHT)	2400 MM
6	FLUSH DOOR (HEIGHT)	2100 MM
6	HAND DRYER (BOTTOM)	900 MM
7	LIQUID SOAP DISPENSER - CAT NO ES11	900 MM
8	FLOOR TRAP (FT) - 1286 & 1262	
9	HEALTH FAUCET AND ANGLE VALVE - ALD CHR 593N	300 MM
10	MIRROR (AS/ DETAIL)	1000 MM
11	WALL CERAMIC TILES (300 x 450 mm)	2400 mm
12	ANTI-SKID FLOOR CERAMIC TILES (300 X 300 MM)	
13	FALSE CEILING (600 x 600 mm TILES)	2400 MM
14	VENTILATOR	AS/DTL.
15	TOILET PAPER ROLL DISPENSER - EPH 04F	550 MM
16	PVC FLEXIBLE PIPE CONNECTION	AS/ DTL.
17	LEDGE WALL BEHIND W.C. (115 /230 MM THK.)	1200 MM
18	LEDGE WALL UNDER WASHBASIN (115 /230 MM THK.)	800 MM
19	BOTTLE TRAP - ALD 777	AS/ DTL.
20	URINALS (BOTTOM) - CAT NO 60018	600 MM
21	BASIN MIXER -290098	600 MM




## **CLASS ROOM**







## **STAIRCASE**





## **THANKS**